

This PDF is generated from: <https://www.voxverse.biz/Sun-12-Feb-2023-34416.html>

Title: Operator base station communication principle

Generated on: 2026-06-05 11:08:16

Copyright (C) 2026 VOXVERSE VPP. All rights reserved.

For the latest updates and more information, visit our website: <https://www.voxverse.biz>

---

1 That is the modulo operator, which finds the remainder of division of one number by another. So in this case a will be the remainder of b divided by c.

The !! operator reassures the lint tool that what you wrote is what you meant: do this operation, then take the truth value of the result. A third use is to produce logical XOR and logical XNOR.

The Operators >> is the arithmetic (or signed) right shift operator. >>> is the logical (or unsigned) right shift operator. <<< is the left shift operator, and meets the needs of both logical and arithmetic shifts. ...

30 != operator means not equal to in MS SQL. It compares two expressions (a comparison operator). When you compare nonnull expressions, the result is TRUE if the left operand ...

The & operator does "run these 3 functions, and if one of them returns false, execute the else block", while the | does "only run the else block if none return false"; - can be useful, but as said, ...

What is the ?: (question mark and colon operator aka. conditional or "ternary") operator and how can I use it?

56 :: is the scope resolution operator - used to qualify names. In this case it is used to separate the class AirlineTicket from the constructor AirlineTicket(), forming the qualified name ...

The -> operator is used with a pointer (or pointer-like object) on the LHS and a structure or class member on the RHS (lhs->rhs). It is generally equivalent to (\*lhs).rhs, which is the other way ...

Web: <https://www.voxverse.biz>

# Operator base station communication principle

